

**D-Sub – Accessories for subminiature D connectors**

Page

Accessories .....

**08.02**

## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm
Female screw locks without nut	9-50	09 67 000 9972 <sup>1)</sup>		
	9-50	09 67 000 9974 <sup>1)</sup>		
	Thread UNC/UNC Thread UNC/M3	9-50	09 67 001 9976 <sup>1)</sup>	
Thread M3/UNC Thread M3/M3	9-50	09 67 001 9974 <sup>1)</sup>		
Thread UNC/UNC Thread UNC/M3	9-50	09 67 001 9941 <sup>1)</sup>		
	9-50	09 67 001 9954 <sup>1)</sup>		
for press-in connectors with grounding-pins or straight solder with grounding-clips.	9-50	09 66 000 9972 <sup>1)</sup>		
	9-50	09 66 000 9974 <sup>1)2)</sup>		
with captive washer Thread UNC/UNC	9-50	09 67 001 9957 <sup>1)</sup>		
with spring washer Thread UNC/UNC	9-50	09 67 001 9939 <sup>1)</sup>		

D-Sub - A

<sup>1)</sup> Order 2 for each connector  
<sup>2)</sup> M3 inner thread available on request

## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm
Female screw locks with nut				
	Thread UNC/UNC	9-50	09 67 000 9922 <sup>1)</sup>	
	Thread UNC/M3	9-50	09 67 000 9924 <sup>1)</sup>	
Thread UNC/UNC	9-50	09 67 000 9973 <sup>1)</sup>		
Male screw locks for use without hood	9-37 50	09 67 001 9969 <sup>1)</sup> 09 67 001 9970 <sup>1)</sup>		
Hex extender	9-50	09 67 001 9985		
U-Clip with thread 4-40 UNC	9-50	09 67 001 9928 <sup>1)</sup>		
with thread 4-40 UNC and screw-lock	9-50	09 67 002 9030 <sup>1)</sup>		

<sup>1)</sup> Order 2 for each connector

## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm															
<b>Dust cap</b> black thermoplastic  for male connector	9	09 67 009 0611		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.0</td> <td>22.40</td> </tr> <tr> <td>15</td> <td>25.3</td> <td>30.80</td> </tr> <tr> <td>25</td> <td>38.9</td> <td>44.40</td> </tr> <tr> <td>37</td> <td>55.4</td> <td>60.75</td> </tr> </tbody> </table>		A	B	9	17.0	22.40	15	25.3	30.80	25	38.9	44.40	37	55.4	60.75
		A		B															
	9	17.0		22.40															
	15	25.3		30.80															
25	38.9	44.40																	
37	55.4	60.75																	
15	09 67 015 0611																		
25	09 67 025 0611																		
37	09 67 037 0611																		
for female connector	9	09 67 009 0711		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>16.0</td> <td>22.5</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>31.0</td> </tr> <tr> <td>25</td> <td>37.8</td> <td>44.3</td> </tr> <tr> <td>37</td> <td>54.3</td> <td>60.8</td> </tr> </tbody> </table>		A	B	9	16.0	22.5	15	24.4	31.0	25	37.8	44.3	37	54.3	60.8
		A		B															
	9	16.0		22.5															
	15	24.4		31.0															
25	37.8	44.3																	
37	54.3	60.8																	
15	09 67 015 0711																		
25	09 67 025 0711																		
37	09 67 037 0711																		
<b>antistatic</b> black thermoplastic  for male connector	9	09 67 009 0612		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.7</td> <td>21.8</td> </tr> <tr> <td>15</td> <td>26.0</td> <td>30.0</td> </tr> <tr> <td>25</td> <td>40.0</td> <td>44.2</td> </tr> <tr> <td>37</td> <td>56.4</td> <td>59.8</td> </tr> </tbody> </table>		A	B	9	17.7	21.8	15	26.0	30.0	25	40.0	44.2	37	56.4	59.8
		A		B															
	9	17.7		21.8															
	15	26.0		30.0															
25	40.0	44.2																	
37	56.4	59.8																	
15	09 67 015 0612																		
25	09 67 025 0612																		
37	09 67 037 0612																		
for female connector	9	09 67 009 0712		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>15.9</td> <td>20.0</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>28.5</td> </tr> <tr> <td>25</td> <td>38.3</td> <td>42.3</td> </tr> <tr> <td>37</td> <td>54.7</td> <td>58.8</td> </tr> </tbody> </table>		A	B	9	15.9	20.0	15	24.4	28.5	25	38.3	42.3	37	54.7	58.8
		A		B															
	9	15.9		20.0															
	15	24.4		28.5															
25	38.3	42.3																	
37	54.7	58.8																	
15	09 67 015 0712																		
25	09 67 025 0712																		
37	09 67 037 0712																		
<b>UL 94 V0</b> grey thermoplastic  for male connector	9	09 67 009 0613		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.7</td> <td>21.8</td> </tr> <tr> <td>15</td> <td>26.0</td> <td>30.0</td> </tr> <tr> <td>25</td> <td>40.0</td> <td>44.2</td> </tr> <tr> <td>37</td> <td>56.4</td> <td>59.8</td> </tr> </tbody> </table>		A	B	9	17.7	21.8	15	26.0	30.0	25	40.0	44.2	37	56.4	59.8
		A		B															
	9	17.7		21.8															
	15	26.0		30.0															
25	40.0	44.2																	
37	56.4	59.8																	
15	09 67 015 0613																		
25	09 67 025 0613																		
37	09 67 037 0613																		
for female connector	9	09 67 009 0713		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>15.9</td> <td>20.0</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>28.5</td> </tr> <tr> <td>25</td> <td>38.3</td> <td>42.3</td> </tr> <tr> <td>37</td> <td>54.7</td> <td>58.8</td> </tr> </tbody> </table>		A	B	9	15.9	20.0	15	24.4	28.5	25	38.3	42.3	37	54.7	58.8
		A		B															
	9	15.9		20.0															
	15	24.4		28.5															
25	38.3	42.3																	
37	54.7	58.8																	
15	09 67 015 0713																		
25	09 67 025 0713																		
37	09 67 037 0713																		

## Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm																														
Dust cap <b>metallized</b> metallized thermoplastic																																		
for male connector	9	09 67 009 0614		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.7</td> <td>21.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>15</td> <td>26.0</td> <td>30.0</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>25</td> <td>40.0</td> <td>44.2</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>37</td> <td>56.4</td> <td>59.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>50</td> <td>53.9</td> <td>57.8</td> <td>15.9</td> <td>11.7</td> </tr> </tbody> </table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7
		A			B	C	D																											
	9	17.7			21.8	13.2	9.1																											
	15	26.0			30.0	13.2	9.1																											
	25	40.0			44.2	13.2	9.1																											
37	56.4	59.8	13.2	9.1																														
50	53.9	57.8	15.9	11.7																														
15	09 67 015 0614																																	
25	09 67 025 0614																																	
37	09 67 037 0614																																	
50	09 67 050 0614																																	
for female connector	9	09 67 009 0714		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>15.9</td> <td>20.0</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>28.5</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>25</td> <td>38.3</td> <td>42.3</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>37</td> <td>54.7</td> <td>58.8</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>50</td> <td>52.6</td> <td>56.2</td> <td>14.5</td> <td>10.5</td> </tr> </tbody> </table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5
		A			B	C	D																											
	9	15.9			20.0	11.8	7.8																											
	15	24.4			28.5	11.8	7.8																											
	25	38.3			42.3	11.8	7.8																											
37	54.7	58.8	11.8	7.8																														
50	52.6	56.2	14.5	10.5																														
15	09 67 015 0714																																	
25	09 67 025 0714																																	
37	09 67 037 0714																																	
50	09 67 050 0714																																	

